

**Souhrn plánu řízení rizik podle § 99 odst. 8 písm. a) zákona č. 378/2007 Sb., o léčivech a o změnách některých souvisejících zákonů (zákon o léčivech), ve znění pozdějších předpisů (1)**

***Etofenamát Greencango 100 mg/g gel***

Administrativní informace:

Léčivá látka/látky	etofenamát
Léková forma/formy	gel
Síla/síly	100 mg/g
Držitel rozhodnutí o registraci	Greencango Kft.
Registrační číslo/čísla	29/386/23-C
Verze a datum plánu řízení rizik	Verze 0.2, 4.9.2024

Následující výňatek z plánu řízení rizik (RMP) výše uvedeného léčivého přípravku/léčivých přípravků je souhrnem podstatných informací uvedených ve zmíněném RMP. RMP popisuje opatření, která mají být přijata, aby bylo zajištěno, že tento léčivý přípravek/tyto léčivé přípravky budou používány co nejbezpečněji. Souhrn RMP je potřeba číst spolu se schváleným souhrnem údajů o přípravku/přípravcích a příbalovou informací.

Tento souhrn RMP připravil Státní ústav pro kontrolu léčiv za účelem splnění své zákonné povinnosti týkající se transparentnosti vůči veřejnosti.

1) [Zákon č. 378/2007 Sb., o léčivech, ve znění pozdějších předpisů](#)

# Summary of risk management plan for Etofenamate Greencango 100 mg/g gel (etofenamate)

This is a summary of the risk management plan (RMP) for Etofenamate Greencango 100 mg/g gel. The RMP details important risks of Etofenamate Greencango 100 mg/g gel, how these risks can be minimised, and how more information will be obtained about Etofenamate Greencango 100 mg/g gel's risks and uncertainties (missing information).

Etofenamate Greencango 100 mg/g gel's summary of product characteristics (SmPC) and its package leaflet give essential information to healthcare professionals and patients on how Etofenamate Greencango 100 mg/g gel should be used.

Important new concerns or changes to the current ones will be included in updates of Etofenamate Greencango 100 mg/g gel's RMP.

## I. The medicine and what it is used for

Etofenamate Greencango 100 mg/g gel is used indicated in adults for the local symptomatic treatment of mild to moderate pain

- in acute sprains, strains and bruises in the area of the extremities following blunt trauma, (e.g. sports injuries),
- of the soft tissues close to the joint (e.g. bursae, tendons, ligaments and joint capsules) in osteoarthritis of the knee joints.

## II. Risks associated with the medicine and activities to minimise or further characterise the risks

Important risks of Etofenamate Greencango 100 mg/g gel, together with measures to minimise such risks and the proposed studies for learning more about Etofenamate Greencango 100 mg/g gel's risks, are outlined below.

Measures to minimise the risks identified for medicinal products can be:

- Specific information, such as warnings, precautions, and advice on correct use, in the package leaflet and SmPC addressed to patients and healthcare professionals;
- Important advice on the medicine's packaging;
- The authorised pack size — the amount of medicine in a pack is chosen so to ensure that the medicine is used correctly;
- The medicine's legal status — the way a medicine is supplied to the patient (e.g. with or without prescription) can help to minimise its risks.

Together, these measures constitute **routine risk minimisation** measures.

In addition to these measures, information about adverse reactions is collected continuously and regularly analysed, including PSUR assessment so that immediate action can be taken as necessary. These measures constitute **routine pharmacovigilance activities**.

### 1.1. II.A List of important risks and missing information

Important risks of Etofenamate Greencango 100 mg/g gel are risks that need special risk management activities to further investigate or minimise the risk, so that the medicinal product can be safely taken. Important risks can be regarded as identified or potential. Identified risks are concerns for which there is sufficient proof of a link with the use of Etofenamate Greencango

100 mg/g gel. Potential risks are concerns for which an association with the use of this medicine is possible based on available data, but this association has not been established yet and needs further evaluation. Missing information refers to information on the safety of the medicinal product that is currently missing and needs to be collected (e.g. on the long-term use of the medicine);

<b>Important identified risks</b>	None
<b>Important potential risks</b>	None
<b>Missing information</b>	None

### ***II.B Summary of important risks***

The safety information in the proposed product information is aligned to the reference medicinal product.

### ***II.C Post-authorisation development plan***

#### **II.C.1 Studies which are conditions of the marketing authorisation**

There are no studies which are conditions of the marketing authorisation or specific obligation of Etofenamate Greencango 100 mg/g gel.

#### **II.C.2 Other studies in post-authorisation development plan**

There are no studies required for Etofenamate Greencango 100 mg/g gel.