

**Souhrn plánu řízení rizik podle § 99 odst. 8 písm. a) zákona č. 378/2007 Sb., o léčivech a o změnách některých souvisejících zákonů (zákon o léčivech), ve znění pozdějších předpisů (1)**

***Sorcelif 400 mg potahované tablety***

***Sorcelif 100 mg/5 ml granule pro perorální suspenzi***

Administrativní informace:

Léčivá látka/látky	cefixim
Léková forma/formy	potahovaná tableta granule pro perorální suspenzi
Síla/síly	400 mg 100 mg/5 ml
Držitel rozhodnutí o registraci	INN-FARM d.o.o.
Registrační číslo/čísla	15/126/24-C 15/125/24-C
Verze a datum plánu řízení rizik	RMP verze 4.0, 19.11.2025

Následující výňatek z plánu řízení rizik (RMP) výše uvedeného léčivého přípravku/léčivých přípravků je souhrnem podstatných informací uvedených ve zmíněném RMP. RMP popisuje opatření, která mají být přijata, aby bylo zajištěno, že tento léčivý přípravek/tyto léčivé přípravky budou používány co nejbezpečněji. Souhrn RMP je potřeba číst spolu se schváleným souhrnem údajů o přípravku/přípravcích a příbalovou informací.

Tento souhrn RMP připravil Státní ústav pro kontrolu léčiv za účelem splnění své zákonné povinnosti týkající se transparentnosti vůči veřejnosti.

1) [Zákon č. 378/2007 Sb., o léčivech, ve znění pozdějších předpisů](#)

# Summary of risk management plan for CEFIXIME INN FARM 100 mg/ 5 ml granules for oral suspension, CEFIXIME INN FARM 400 mg film- coated tablets, SORCELIF 100 mg/ 5 ml granules for oral suspension and SORCELIF 400 mg film- coated tablets (cefixime)

This is a summary of the risk management plan (RMP) for CEFIXIME INN FARM 100 mg/ 5 ml granules for oral suspension, CEFIXIME INN FARM 400 mg film- coated tablets, SORCELIF 100 mg/ 5 ml granules for oral suspension and SORCELIF 400 mg film- coated tablets. The RMP details important risks of CEFIXIME INN FARM 100 mg/ 5 ml granules for oral suspension, CEFIXIME INN FARM 400 mg film- coated tablets, SORCELIF 100 mg/ 5 ml granules for oral suspension and SORCELIF 400 mg film- coated tablets, how these risks can be minimised, and how more information will be obtained about CEFIXIME INN FARM 100 mg/ 5 ml granules for oral suspension, CEFIXIME INN FARM 400 mg film- coated tablets, SORCELIF 100 mg/ 5 ml granules for oral suspension and SORCELIF 400 mg film- coated tablet's risks and uncertainties (missing information).

CEFIXIME INN FARM 100 mg/ 5 ml granules for oral suspension, CEFIXIME INN FARM 400 mg film- coated tablets, SORCELIF 100 mg/ 5 ml granules for oral suspension and SORCELIF 400 mg film- coated tablets summary of product characteristics (SmPC) and its package leaflet give essential information to healthcare professionals and patients on how CEFIXIME INN FARM 100 mg/ 5 ml granules for oral suspension, CEFIXIME INN FARM 400 mg film- coated tablets, SORCELIF 100 mg/ 5 ml granules for oral suspension and SORCELIF 400 mg film- coated tablets should be used.

Important new concerns or changes to the current ones will be included in updates of CEFIXIME INN FARM 100 mg/ 5 ml granules for oral suspension, CEFIXIME INN FARM 400 mg film- coated tablets, SORCELIF 100 mg/ 5 ml granules for oral suspension and SORCELIF 400 mg film- coated tablet's RMP.

## **I. The medicine and what it is used for**

CEFIXIME INN FARM 100 mg/5 ml granules for oral suspension, CEFIXIME INN FARM 400 mg film- coated tablets, SORCELIF 100 mg/5 ml granules for oral suspension, and SORCELIF 400 mg film- coated tablets are authorized for the treatment of infections caused by bacteria that are sensitive to cefixime. They are used to treat the following types of infections:

- Middle ear infection
- Sinus infection and throat infection
- Worsening of long-term bronchitis
- Lung infection
- Bladder and kidney infections

See SmPC for the full indications.

They contain cefixime as the active substance and they are given by oral administration.

## **II. Risks associated with the medicine and activities to minimise or further characterise the risks**

Important risks of CEFIXIME INN FARM 100 mg/ 5 ml granules for oral suspension, CEFIXIME INN FARM 400 mg film- coated tablets, SORCELIF 100 mg/ 5 ml granules for oral suspension and SORCELIF 400 mg film- coated tablets together with measures to minimise such risks and the proposed studies for learning more about CEFIXIME INN FARM 100 mg/ 5 ml granules for oral suspension, CEFIXIME INN FARM 400 mg film- coated tablets, SORCELIF 100 mg/ 5 ml granules for oral suspension and SORCELIF 400 mg film- coated tablets risks, are outlined below.

Measures to minimise the risks identified for medicinal products can be:

- Specific information, such as warnings, precautions, and advice on correct use, in the package leaflet and SmPC addressed to patients and healthcare professionals;
- Important advice on the medicine's packaging;
- The authorised pack size — the amount of medicine in a pack is chosen so to ensure that the medicine is used correctly;
- The medicine's legal status — the way a medicine is supplied to the patient (e.g. with or without prescription) can help to minimise its risks.

Together, these measures constitute *routine risk minimisation measures*.

In addition to these measures, information about adverse reactions is collected continuously and regularly analysed so that immediate action can be taken as necessary. These measures constitute *routine pharmacovigilance activities*.

### **II.A List of important risks and missing information**

Important risks of CEFIXIME INN FARM 100 mg/ 5 ml granules for oral suspension, CEFIXIME INN FARM 400 mg film- coated tablets, SORCELIF 100 mg/ 5 ml granules for oral suspension and SORCELIF 400 mg film- coated tablets are risks that need special risk management activities to further investigate or minimise the risk, so that the medicinal product can be safely administered. Important risks can be regarded as identified or potential. Identified risks are concerns for which there is sufficient proof of a link with the use of CEFIXIME INN FARM 100 mg/ 5 ml granules for oral suspension, CEFIXIME INN FARM 400 mg film- coated tablets, SORCELIF 100 mg/ 5 ml granules for oral suspension and SORCELIF 400 mg film- coated tablets. Potential risks are concerns for which an association with the use of this medicine is possible based on available data, but this association has not been established yet and needs further evaluation. Missing information refers to information on the safety of the medicinal product that is currently missing and needs to be collected (e.g. on the long-term use of the medicine).

<b>List of important risks and missing information</b>	
Important identified risks	none
Important potential risks	none
Missing information	none

### ***II.B Summary of important risks***

The safety information in the proposed Product Information is aligned to the reference medicinal product.

### ***II.C Post-authorisation development plan***

#### **II.C.1 Studies which are conditions of the marketing authorisation**

There are no studies imposed as a condition of the marketing authorisation or specific obligations of CEFIXIME INN FARM 100 mg/ 5 ml granules for oral suspension, CEFIXIME INN FARM 400 mg film- coated tablets, SORCELIF 100 mg/ 5 ml granules for oral suspension and SORCELIF 400 mg film- coated tablets.

#### **II.C.2 Other studies in post-authorisation development plan**

There are no studies required for CEFIXIME INN FARM 100 mg/ 5 ml granules for oral suspension, CEFIXIME INN FARM 400 mg film- coated tablets, SORCELIF 100 mg/ 5 ml granules for oral suspension and SORCELIF 400 mg film- coated tablets.